



**COPYRIGHT**  
 © This drawing is the copyright of AKS Ward, it may not be copied, altered or reproduced in any way without their written authority.  
 This drawing must not be scaled. Use figured dimensions only. If in doubt ASK!  
 This drawing is to be read in conjunction with all relevant AKSWard drawings and specifications prefixed x252015

- NOTES**
- All setting out to be in accordance with the Architect's drawings. Any discrepancies between the Engineer's and the Architect's drawings to be referred to the Architect before proceeding. Dimensions must not be scaled.
  - Do not scale from any of the Civil's drawings. All Dimensions to be verified on site and any discrepancies should be highlighted.
  - All materials to comply with the relevant British Standards.
  - CBR of 29% confirmed by CBR Assessment Report produced by M&H Testing Limited
  - All soft Spots to be removed from formation and replaced with clean Type 1 material.
  - All materials within 450mm of surface to be non-frost susceptible.
  - All made ground fill material to be removed before construction of build ups.
  - Existing ground has been classified as contaminated. Existing ground cannot be used for refill onsite.
  - All soft landscaping areas not within tree root protection zones to have 600mm of site strip.
  - Cut & Fill analysis based on the construction depths:  

Working Platform :	1340 mm
External Slabs :	450mm
Roads :	495 mm
Roads (TRPZ) :	245mm
Footways :	240 mm
Footways (TRPZ) :	185 mm
Topsoil :	150 mm
  - No bulking factor has been included in these calculations.
  - No allowance has been given for foundations, services or drainage.

Height Bands	
Fill 2m - 2.5m	Orange
Fill 1.5m - 2m	Light Orange
Fill 1m - 1.5m	Light Yellow
Fill 0.5m - 1m	Yellow
Fill 0m - 0.5m	Light Green
Cut 0m - 0.5m	Green
Cut 0.5m - 1m	Dark Green
Cut 1m - 1.5m	Blue

Total Cut: 1929.09m<sup>3</sup>  
 Total Fill: 1434.83m<sup>3</sup>  
 Net Cut: 494.26m<sup>3</sup>

P01 First Issue	GA PM	13.02.26
Rev. Amendment	Dm Chkd	Date
Drg Status	PRELIMINARY	Suitability S2

**AKS Ward**  
**CONSTRUCTION CONSULTANTS**  
 Seacourt Tower West Way Oxford OX2 0JJ

London  
 Oxford  
 Southampton

Tel: 01865 240071  
 e-mail: oxford@aksward.com  
 web: www.aksward.com

Client **Galliford Try**

Project **Bexley Road Eltham London**

Title **Proposed Cut & Fill Layout**

Scales A1 @ 1:250 Project No. **X252015**

Reviewed Scheme PM Date 13.02.2026

Reviewed Final Date

Project Ref Originator Zone Level Type Role Drg.No Rev.  
**BTLC- AKS -XX -XX-DG-C -9161 -P01**